959



# Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Date of issue: 01/01/2018 Revision date: 06/11/2019 Printed: 07/22/2019 Version: 2.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Substance
Trade name : Diverting Agent

Product code : 959

Chemical name : Polylactide Resin CAS No : 9051-89-2

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial/Professional

Diverting Agent for multi-stage fracturing

Use advised against : None identified

## 1.3. Details of the supplier of the safety data sheet

DiverterPlus, LLC

281 Clarkson Road, Suite 102

Ellisville, MO 63011

Tel: 833-388-7587 Fax: 636-238-2101

## 1.4. Emergency telephone number

Emergency number : CHEMTREC (800) 424-9300

Outside USA: +1 703-527-3887

24 hours

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Classification

Combustible dust

### 2.2. Label elements

### Labelling

Hazard pictograms : None
Signal word : Warning

Hazard statements : May form combustible dust concentrations in air

Precautionary statements : None

#### 2.3. Other hazards

Other hazards not contributing to the

classification

: May cause lower respiratory tract irritation upon inhalation of dust. Fine dust or coarse particles may cause irritation or corneal injury due to mechanical action. Spills of this product present a

serious slipping hazard.

# 2.4. Unknown acute toxicity

Not applicable

07/22/2019 EN (English) 1/7

# Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

# SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Name	Product identifier	%
Polylactide Resin	(CAS No) 9051-89-2	> 98

Trace ingredients (if any) are present in < 1% concentration, (< 0.1% for potential carcinogens, mutagen, and reproductive toxicant, respiratory tract and skin sensitizers in addition to oral/ inhalation acute toxicant in category 1 and 2). None of the trace ingredients contribute significant additional hazards at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalents.

#### 3.2. Mixture

Not applicable

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

First-aid measures after skin contact : Rinse with plenty of water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Flush eyes with water for several minutes. Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting unless directed to do so by medical personnel. Obtain

emergency medical attention if symptoms occur. Do not give laxatives.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause lower

track respiratory irritation. Inhalation of dust may cause shortness of breath, tightness of the

chest, a sore throat and cough.

Symptoms/injuries after skin contact : Prolonged or repeated contact, may cause skin dryness.

Fine dust or coarse particles may cause irritation or corneal injury due to mechanical action. Symptoms/injuries after eye contact

Symptoms include strong irritation, stinging, watering, redness, and swelling.

Symptoms/injuries after ingestion : May cause gastrointestinal blockage. Do not give laxatives.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Use fire-extinguishing media appropriate for surrounding materials. Foam. Dry powder. Carbon

dioxide. Water spray.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable.

: Avoid generating dust; fine dust dispersed in air in sufficient concentrations and in the presence **Explosion hazard** 

of an ignition source is a potential dust explosion hazard.

Other hazrads : During fire, gases hazardous to health may be formed.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire.

Protective equipment for firefighters Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

07/22/2019 2/7 EN (English)

The specific chemical\ component identities and/or the exact component percentages of this material may be withheld as trade secrets.

This information is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of 29 CFR 1910.1200 (I)(1).

# Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Collect as much as possible in clean container for (preferably) re-use or disposal. Spills of this product present a serious slipping hazard. Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure-controls/personal protection. Avoid contact with eyes. Do not breathe dust. Evacuate unnecessary personnel. Collect all waste in suitable and labelled containers and dispose according to local legislation.

### 6.2. Environmental precautions

Avoid release to the environment. Do not allow large quantities, as are, to spread into the environment. Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Recover mechanically the product. Wet clean or vacuum up solids. Sweep or shovel spills into appropriate container for disposal. Avoid dispersal of dust in the air (i.e., cleaning dust surfaces with compressed air).

#### 6.4. Reference to other sections

For further information refer to section 8 : Exposure-controls/personal protection.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Keep container closed when not in use. Minimize dust generation and accumultion. Dry powders can build statics electricity charges when subjected to the friction of transfer and mixture operations. Provide adequate precautions, such as electrical grounding and bonding or inert atmospheres.

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Provide adequate ventilation to minimize dust concentrations. Provide adequate ventilation.

Storage conditions

: Store in a well-ventilated place. Store in a dry place. Store at temperature not exceeding

122°F/50°C.

Incompatible materials : No additional information available

### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

Particulates not otherwise claissified (PNOC)		
ACGIH	ACGIH TLV (TWA) (mg/m³)	10 mg/m³ (inhalable partticulates)
ACGIH	ACGIH TLV (TWA) (mg/m³)	3 mg/m³ (respirable partticulates)
OSHA	OSHA Final PEL (TWA) (mg/m³)	15 mg/m³ (total dust)
OSHA	OSHA Final PEL (TWA) (mg/m³)	5 mg/m³ (respirable fraction)

## 8.2. Exposure controls

Appropriate engineering controls

: Ensure good ventilation of the work station. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust dusts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area. Use only appropriately classifies electrical equipment.

07/22/2019 EN (English) 3/7

# Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Personal protective equipment : Protective goggles. Gloves. Insufficient ventilation: wear respiratory protection.



Materials for protective clothing : Protective clothing and protective equipment materials must be suitable for the chemicals that

: Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove Hand protection

Eye protection : Safety glasses. Wear goggles if dust dispersed. Skin and body protection : Wear suitable protective clothing. Wear long sleeves.

Respiratory protection When effective engineering controls are not feasible, or while they are being instituted, appropriate respirators shall be used. A NIOSH approved dust mask or filtering facepiece is

recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134). Use of respirator rating N95 or higher are recommended when dust generated and

adequate engineering controls are not feasible.

: Avoid release to the environment. Environmental exposure controls

# SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Coarse powder

Color : White Odor : Odorless Odor threshold : Not applicable Hq : Not applicable Relative evaporation rate (butyl acetate=1) : Not applicable

Melting point : 302 - 356 °F (150 - 180 °C)

Freezing point : Not applicable Boiling point : Not applicable : No data available Flash point : 730 °F (388 °C) Auto-ignition temperature Decomposition temperature : 482 °F (250 °C) : No data available Flammability (solid, gas) Vapor pressure : Not applicable Relative vapor density at 20 °C : Not applicable Relative density : 1.25 (water=1) Solubility : Negligible in water Log Pow : No data available Log Kow : No data available Viscosity, kinematic : Not applicable Viscosity, dynamic : Not applicable : No data available Explosive properties Oxidising properties : Not applicable

### Other information

No additional information available

## **SECTION 10: Stability and reactivity**

The product is stable at normal handling and storage conditions.

#### 10.1. Reactivity

**Explosive limits** 

The product is stable and non-reactive under normal conditions of use, storage and transport.

: No data available

#### 10.2. Chemical stability

07/22/2019 EN (English) 4/7

# Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Temperatures above 446 °F (230 °C). Prolonged exposure will cause polymer degradation.

#### 10.5. Incompatible materials

Oxidizing agents, Strong bases

#### 10.6. Hazardous decomposition products

Thermal decomposition emits obnoxious and toxic fumes, Aldehydes, Carbon oxides.

# **SECTION 11: Toxicological information**

#### Information on toxicological effects 11.1.

Route of exposure : Inhalation, oral, skin, eye

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified. Prolonged or repeated contact may cause dermatitis, skin irritation and skin

dryness.

Serious eye damage/irritation : Not classified.

Product dust may be irritating to eyes. Resin particles, like other inert materials, are

mechanically irritating to eyes.

Respiratory or skin sensitization Not classified : Not classified Germ cell mutagenicity Carcinogenicity : Not classified

Reproductive toxicity : Not classified

: Not classified. Inhalation may cause lower respiratory tract irritation. Specific target organ toxicity (single exposure)

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause lower

track respiratory irritation.

Other hazards : Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

# **SECTION 12: Ecological information**

#### 12.1. **Toxicity**

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

Not expected to bioaccumulate.

#### Mobility in soil 12.4.

No additional information available

07/22/2019 EN (English) 5/7

# Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

### 12.5. Other adverse effects

Effect on ozone layer : No additional information available

Effect on the global warming : No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Empty remaining contents. Do not re-use empty containers. Empty containers should be

transported/delivered using a registered waste carrier to local recyclers for disposal.

Ecology - waste materials : Should not be released into the environment. Do not contaminate ponds, waterways or ditches

with chemical or used container. Contact manufacturer.

# **SECTION 14: Transport information**

In accordance with DOT Not regulated for transport

#### **ADR**

No additional information available

### Transport by sea

No additional information available

### Air transport

No additional information available

# **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

No additional information available

## 15.3. US State regulations

California Proposition 65 - NOTE: This product has NOT evaluated against the latest requirements of the California Proposition 65 to meet the safe harbor warning requirements introduced by The office of Environmental Health Hazards Assessment (OEHHA), during its OSHA hazards classification evaluation.

## **SECTION 16: Other information**

Revision date : 06/11/2019

Indication of changes : 1-Identification of the substance/mixture and of the company/undertaking

2-Hazards identification
4-First aid measures
5-Firefighting measures
6-Accidental release measures
7-Handling and storage

8-Exposure controls/personal protection

11-Toxicological information 15-Regulatory information

07/22/2019 EN (English) 6/7

# Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Other information

- : Refer to NFPA 654, Standard for the Prevention of Fire and Dust explosions from the Manufctureing, Processing, and Handling of Combustible Particulate Solids, for safe handling.
  - 1)The chemical manufacturer or importer shall label chemicals that are shipped in dust form, and present a combustible dust hazard in that form when used downstream, under paragraph (f)(1);
  - 2) the chemical manufacturer or importer shipping chemicals that are in a form that is not yet a dust must provide a label to customers under paragraph (f)(4) if, under normal conditions of use, the chemicals are processed in a downstream workplace in such a way that they present a combustible dust hazard; and
  - 3) the employer shall follow the workplace labeling requirements under paragraph (f)(6) where combustible dust hazards are present.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

07/22/2019 EN (English) 7/7